

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(709/203.000).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:33
S2	2823	(709/203).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:34
S3	11166	((709/203) or (709/204) or (709/212) or (709/217) or (709/249) or (707/10) or (707/8) or (707/201) or (370/230) or (370/235) or (370/260)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:37
S4	91038	((("709") or ("707") or ("370"))).CLAS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:39
S5	0	WUESTE.inv. and "KEVIN.inv" and "MICHAEL.inv"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:40
S6	0	WUESTE.inv. and "MICHAEL.inv"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:40
S7	0	microsoft.inv. and (content same deliver\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:41
S8	234	microsoft.asn. and (content same deliver\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:41
S9	12	microsoft.asn. and (content same deliver\$3) and (user near5 profil\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/01 17:42
S10	34	microsoft.asn. and (content same deliver\$3) and (user near5 profil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:43
S11	34	microsoft.asn. and (content same deliver\$3) and (user near5 profil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:43
S12	3786	(content same deliver\$3) and (user near5 profil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:43



S13	785	(content same deliver\$3)same(user near5 profil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:44
S14	3786	(content same deliver\$3)and(user near5 profil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:44
S15	2000	((content same deliver\$3)and(user near5 profil\$3)) and (data near5 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:44
S16	229	((content same deliver\$3)and(user near5 profil\$3)) and (data near5 store) and (user with content with usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:45
S17	33	((content same deliver\$3)and(user near5 profil\$3)) and (data near5 store) and (user with content with usage with display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:45
S18	215	((content same deliver\$3)and(user near5 profil\$3)) and (data near5 store) and (user with content with usage) and (user with display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:47
S19	217	((content same deliver\$3)and(user near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and (user with display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:48
S20	218	((content same deliver\$3)and(user near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:48
S21	222	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:48

S22	194	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:49
S23	101	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content)) and (match\$3 with algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:50
S24	101	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and (match\$3 with algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:53
S25	2	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 with algorithm) same (data near5 store))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:52

S26	0	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 with algorithm)same (database or datastore))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:54
S27	105	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:58
S28	105	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and ((data near5 store)or datastore) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:55
S29	0	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (datastore) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:55

S30	6	((content same deliver\$3)and((user or subscriber or member) near5 profil\$3)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and demograph\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:59
S31	103	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:02
S32	1	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and (match\$3 with preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:02
S33	1	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and (match\$3 same preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:03

S34	1	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and (compar\$3 same preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:03
S35	1	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and (preference same (data near3 store))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:04
S36	103	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:07
S37	3	((content same deliver\$3)and(user near5 profile)) and (data near5 store) and (user with content with usage) and (user with display\$3) and (Preference with (information or data or content) with user) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and ((indicat\$3 or show\$3) same (user near43 profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:07

S38	1	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:10
S39	103	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:30
S40	1	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:10
S41	1	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and concentric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:25

S42	0	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and (user with target with delivery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:26
S43	4	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and (user with target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:26
S44	1	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and (content adj2 service adj2 provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:31

S45	103	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and (service adj2 provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:31
S46	5	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and ((service adj2 provider)with content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:32
S47	103	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and ((service adj2 provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:35

S48	2	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and ((service adj2 provider))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:34
S49	103	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and ((service adj2 provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:37
S50	2	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and ((user or subscriber or member) with display\$3) and (Preference with (information or data or content) with (user or subscriber or member)) and ((match\$3 or compar\$3) with algorithm) and ("LAN" or "WAN") and ((service adj2 provider))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:38
S51	3	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and ((user or subscriber or member) with content with usage) and (user with display\$3) and (preference with (information or data or content)) and ((match\$3 or compar\$3) with algorithm) and (service adj2 provider)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:40

S52	3	((content same deliver\$3)and((user or subscriber or member) near5 profile)) and (data near5 store) and (user with content with usage) and (user with display\$3) and (preference with (information or data or content)) and ((match\$3 or compar\$3) with algorithm) and (service adj2 provider)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:41
S53	2	((content same deliver\$3)same(user near5 profile)) and (data near5 store) and (user with content with usage) and (user with display\$3) and (preference with (information or data or content)) and ((match\$3 or compar\$3) with algorithm) and (service adj2 provider)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:42
S54	2	((content same deliver\$3)same(user near5 profile)) and (data near5 store) and (user with content with usage) and (preference with (information or data or content)) and ((match\$3 or compar\$3) with algorithm) and (service adj2 provider)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:43
S55	2	((content same deliver\$3)same(user near5 profile)) and (data near5 store) and (user with content with usage) and (preference with (information or data or content)) and ((match\$3 or compar\$3) with algorithm)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:43
S56	26	((content same deliver\$3)same(user near5 profile)) and (data near5 store) and (user with content with usage) and (preference with (information or data or content))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:43
S57	23	((content same deliver\$3)same(user near5 profile)) and (data near5 store) and (user with content with usage) and (preference with (information or data or content)) and algorithm	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:34
S58	13	((content same deliver\$3)same(user near5 profile)) and (data near5 store) and (user with content with usage) and (preference with (information or data or content)) and (algorithm same matching)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:44

S59	356817	user same content sme usage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:34
S60	1735	user same content same usage	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:34
S61	308	user same content same usage same receive\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:35
S62	351	user same content same usage same receive\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:35
S63	44	(user same content same usage same receive\$3 same profile)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:35
S64	47651	(user same content same usage same receive\$3 same profile)and preference same match\$3 sane (datastore or (data adj2 store))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:36
S65	0	(user same content same usage same receive\$3 same profile)and (preference same match\$3 same (datastore or (data adj2 store)))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:36
S66	5	(user same content same usage same receive\$3 same profile)and (preference same match\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:36
S67	0	(user same content same usage same receive\$3 same profile)and (preference same match\$3) and algorithm	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:37
S68	5	(user same content same usage same receive\$3 same profile)and (preference same match\$3) and algorithm	USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 15:37